

MS260 Safezone Cleaner for Glass

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation MS-260 Safezone Cleaner for Glass
Chemical name
Product type Mixture

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- PC35: Detergents and cleaning agents (including solvent-based products).
- Glass cleaner, other
- For professional use only

1.3 - Details of the supplier providing the safety data sheet

ECS Cleaning Solutions GmbH
Wolfener Str. 32-34
D-12681 Berlin Germany Phone :
+49 (0)30 / 36 46 40 36
gunnar.kleinmann@ecsag.com

Retailer

Ameba AG
Stieracker 20
CH-5070 Frick
info@ameba.ch
+41 (0)61 322 4224

1.4 - Emergency number

+41 44 251 51 51 (Tox Center Switzerland)

MS260 Safezone Cleaner for Glass

Ionad Faisnéise Náisiúnta Nimheanna (Éire)
Tel. no.: +353 (0)1 809 2566 / +353 (0)1 837 9964

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs (Latvia)
Tel. no.: +371 670 42473

Valstybinė vaistų kontrolės tarnyba (VVKT), Apsinuodijimų informacijos biuras (VTI)
(Lietuva) Tel. no.: +370 5 236 20 52

Isptar Mater Dei (Malta)
Tel. no.: +356 2545 0000

Nationaal Vergiftigingen Informatie Centrum (NVIC) (Netherlands)
Tel. no.: +31 (0) 30 274 8888

Hjelpetelefon for psykisk helse (Norge)
Tel. no.: +47 22 59 13 00

Instituto Nacional de Emergência Médica (Portugal)
Tel. no.: +351 213 303 271

Servicio de Información Toxicológica (España)
Tel. no.: +34 91 562 04 20

Svensk Giftinformationscentral (Sverige)
Tel. no.: +46 08 331231

Schweizerisches Toxikologisches Informationszentrum (Schweiz)/ Centro svizzero di informazione tossicologica (Svizzera)/ Centre Suisse d'Information Toxicologique (Suisse)
Tel. no.: +41 44 251 51 51

Tox Info Suisse emergency number: 145 (24 hours)/ Numero di emergenza Tox Info Suisse: 145 (24 ore)/ Tox Info Suisse Numéro d'urgence: 145 (24h/24)

SECTION 2: Potential hazards

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP].

Press. Gas (Comp.)	Compressed gas
--------------------	----------------

2.2 - Labeling elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP].

Signal word : Attentio

Hazard pictograms



Hazard warnings

H280	Contains gas under pressure; can explode when heated
------	--

Safety instructions

MS-260 Safezone Cleaner for Glass

P308+P313	IF exposed or concerned: Get medical advice/attention.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures above 50 °C/122 °F.
P501	Dispose of contents/container to an appropriate recycling or disposal facility in accordance with local/regional/national/international regulations.
EUH-phrases	: none

Regulation (EC) No 648/2004 on detergents

Contains:

- 5% or more but less than 15%: aliphatic hydrocarbons

2.3 - Other hazards

PBT

- This substance does not meet the PBT/vPvB criteria of REACH regulation, annex XIII.

vPvB

- This substance does not meet the PBT/vPvB criteria of REACH regulation, annex XIII.

SECTION 3: Composition / Information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
Ethanol, ethyl alcohol	CAS No. : 64-17-5 INDEX No. : 603-002-00-5 EC no. : 200-578-6	>= 2 - <= 10	Flam. Liq. 2 - H225	Not applicable
2-butoxyethanol, butylglycol	CAS No. : 111-76-2 INDEX No. : 603-014-00-0 EC no. : 203-905-0	>= 2 - <= 10	Acute Tox. 3 Inhalation - H331 Acute Tox. 4 Oral - H302 Eye Irrit. 2 - H319 Skin Irrit. 2 - H315	ATE oral 1200 ATE Inhalation vapor 3
Propane INCI: PROPANE	CAS No. : 74-98-6 INDEX No. : 601-003-00-5 EC no. : 200-827-9	>= 1 - <= 3	Flam. Gas 1 - H220 Press. Gas	Not applicable
Butane INCI: BUTANE	CAS No. : 106-97-8 INDEX No. : 601-004-00-0 EC no. : 203-448-7	>= 1 - <= 3	Flam. Gas 1 - H220 Press. Gas	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

After inhalation

- Provide fresh air.
- In all cases of doubt or if symptoms are present, seek medical advice.

After skin contact

- Wash off immediately with: Water
- In all cases of doubt or if symptoms are present, seek medical advice.

After eye contact

- Immediately rinse carefully and thoroughly with eye wash or water.
- If eye irritation occurs, consult an ophthalmologist.

MS-260 Safezone Cleaner for Glass

After ingestion

- Rinse mouth thoroughly with water.
- DO NOT induce vomiting.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects
inhalation

-- No information available. After

Symptoms and effects
skin contact

-- No information available. After

Symptoms and effects

-- Temporary or minor injuries may occur After eye contact

Symptoms and effects
ingestion

-- No information available. After

4.3 - Information on immediate medical assistance or special treatment

- If poisoning is suspected, the National Poisons Information Center should be contacted immediately, see section 1.4 for the emergency telephone number.
- Symptomatic treatment. Antidote administration.

SECTION 5: Fire-fighting measures

5.1 - Extinguishing agents

Suitable extinguishing

- ABC powder
- Carbon dioxide (CO₂)
- Foam

Unsuitable extinguishing

- Full water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising
from the substance or
mixture

- There is no information available.

Hazardous
decomposition

- There is no information available.

5.3 - Instructions for firefighting

- Adapt extinguishing measures to the surroundings.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

Use personal protective equipment not trained for emergencies. Personnel

- Ensure adequate ventilation.

Emergency services- No information available.

6.2 - Environmental protection measures

MS-260 Safezone Cleaner for Glass

- Avoid release into the environment.
- Do not allow to enter drains or waterways.
- In case of gas leakage or ingress into water, soil or sewage system, inform the responsible authorities.

6.3 - Methods and material for containment and cleaning

Methods and material for retention - There is no information available.

Methods and material for cleaning - Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder).
- Wash off with plenty of water.

Unsuitable methods- No information available.

6.4 - Reference to other sections

- Personal protective equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1 - Protective measures for safe handling

Recommen - Use the prescribed personal protective equipment.
- Do not spray against flames or glowing objects.
- Keep container tightly closed.

Notes on general industrial hygiene - There is no information available.

7.2 - Conditions for safe storage taking into account incompatibilities

- Pressurized container. Protect from sunlight and temperatures above 50 °C. Do not open by force or burn, even after use.
- Store in a dry place. Store in a closed container.

7.3 - Specific end uses

- Aerosols

SECTION 8: Exposure controls/personal protective equipment

8.1 - Parameters to be monitored

Ethanol, ethyl alcohol (64-17-5)	
VLE mg/m ³ (CH)	1920 mg/m ³
VLE ppm (CH)	1000 ppm
VME mg/m ³ (CH)	960 mg/m ³
VME ppm (CH)	500 ppm
2-butoxyethanol, butylglycol (111-76-2)	
VLE mg/m ³ (CH)	98 mg/m ³
VLE ppm (CH)	20 ppm
VME mg/m ³ (CH)	49 mg/m ³
VME ppm (CH)	10 ppm

MS-260 Safezone Cleaner for Glass

Propane (74-98-6)	
VLE mg/m ³ (CH)	7200 mg/m ³
VLE ppm (CH)	4000 ppm
VME mg/m ³ (CH)	1800 mg/m ³
VME ppm (CH)	1000 ppm
Butane (106-97-8)	
VME mg/m ³ (CH)	1900 mg/m ³
VME ppm (CH)	800 ppm

DNEL / PNEC

Ethanol, ethyl alcohol (64-17-5)			
Type	Value	User	Effect
DNEL Long-term oral (repeated)	87 mg/kg bw/day	Consumers	Systemic
DNEL acute inhalative	1900 mg/m ³	Workers	Local
DNEL acute inhalative	950 mg/m ³	Consumers	Local
DNEL long-term inhalative	950 mg/m ³	Workers	Systemic
DNEL long-term inhalative	114 mg/m ³	Consumers	Systemic
DNEL long-term dermal	343 mg/kg bw/day	Workers	Systemic
DNEL long-term dermal	206 mg/kg bw/day	Consumers	Systemic
PNEC Water bodies, fresh water	960 mg/l		
PNEC Water bodies, seawater	790 mg/l		
PNEC Waters, periodic release	2.75 mg/l		
PNEC Sediment, fresh water	3.6 mg/kg		
PNEC Sediment, seawater	2.9 mg/kg		
PNEC Secondary poisoning	380 mg/kg		
PNEC Wastewater treatment plant (STP)	580 mg/l		
2-butoxyethanol, butylglycol (111-76-2)			
Type	Value	User	Effect
DNEL Short-term oral (acute)	26.7 mg/kg	Consumers	Systemic
DNEL Long-term oral (repeated)	6.3 mg/kg bw/day	Consumers	Systemic
DNEL acute inhalative	1091 mg/m ³	Workers	Systemic
DNEL acute inhalative	246 mg/m ³	Workers	Local
DNEL acute inhalative	426 mg/m ³	Consumers	Systemic
DNEL acute inhalative	147 mg/m ³	Consumers	Local
DNEL long-term inhalative	98 mg/m ³	Workers	Systemic
DNEL long-term inhalative	59 mg/m ³	Consumers	Systemic
PNEC Water bodies, fresh water	8.8 mg/l		
PNEC Water bodies, seawater	0.88 mg/l		
PNEC Waters, periodic release	26.4 mg/l		
PNEC Sediment, fresh water	34.6 mg/kg		
PNEC Sediment, seawater	3.46 mg/kg		
PNEC Secondary poisoning	0.02 mg/kg		
PNEC Sewage treatment plant (STP)	463 mg/l		

8.2 - Exposure controls and monitoring

Suitable technical control equipment

- If local extraction is not possible or insufficient, good ventilation of the work area should be ensured wherever possible.
- Ensure adequate ventilation.

Individual protective measures, for example personal protective equipment

- Do not use the product if there is insufficient ventilation or wear a protective mask with an appropriate gas filter (type A1 according to EN 14387).

MS-260 Safezone Cleaner for Glass

- Suitable eye protection: basket glasses



Limiting and
monitoring
environmental
exposure

- There is no information available.

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

<u>Aggregate state</u>	liquid	<u>Appearance</u>	Aerosol
<u>Color</u>	light yellow	<u>Odor</u>	
Odor threshold		No data available	
pH value		No data available	
Melting point		No data available	
Freezing point		No data available	
Boiling point		78 °C	
Flash point		No data available	
Evaporation rate		No data available	
Flammability		No data available	
Lower explosion limit		No data available	
Upper explosion limit		No data available	
Vapor pressure		0.483 mPa < V < 0.621 mPa	
Vapor density		No data available	
Relative density		No data available	
Density		0.978 g/cm ³	
Solubility (water)		No data available	
Solubility (ethanol)		No data available	
Solubility (acetone)		No data available	
Solubility (organic solvents)		No data available	
Log KOW		No data available	
Auto-ignition temperature		No data available	
Decomposition temperature		No data available	
Viscosity, kinematic		No data available	
Viscosity, dynamic		No data available	

Particle properties

Particle size	No data available
Dustiness	No data available
Special surface	No data available
Shape	No data available

9.2 - Other information

VOC content	No data available
Minimum ignition energy	No data available
Conductivity	No data available

MS-260 Safezone Cleaner for Glass

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered non-reactive under normal conditions of use.

10.2 - Chemical stability

- The product is chemically stable under the recommended storage, use and temperature conditions.

10.3 - Possibility of hazardous reactions

- No hazardous reactions will occur if handled and stored as directed.

10.4 - Conditions to avoid

- Keep away from heat sources (e.g. hot surfaces), sparks and naked flames.

10.5 - Incompatible materials

- There is no information available.

10.6 - Hazardous decomposition products

- Does not decompose when used as intended.

SECTION 11: Toxicological information

11.1 - Information on hazard classes according to Regulation (EC) No. 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalative (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapors (rat)	No data available

- Based on available data, the classification criteria are not met.

Toxicity : Substances

Ethanol, ethyl alcohol (64-17-5)	
LD50 oral (rat)	10470 mg/kg
LD50 dermal (rat)	17100 mg/kg
LC50 inhalation vapors (rat)	124.7 mg/l
2-butoxyethanol, butylglycol (111-76-2)	
LD50 oral (rat)	1414 mg/kg
LD50 dermal (rat)	> 2000 mg/kg
LC50 inhalation vapors (rat)	691 mg/l
Propane (74-98-6)	
LC50 inhalative (rat)	> 800000 ppmV
LC50 inhalation vapors (rat)	20 mg/l

MS-260 Safezone Cleaner for Glass

Butane (106-97-8)	
LC50 inhalative (rat)	> 800000 ppmV
LC50 inhalation vapors (rat)	658 mg/l

Skin corrosion/irritation- Not classified

Serious eye damage/irritation - Not classified

Sensitization of the respiratory - Not classified

Germ cell mutagenicity- Not classified

Carcinogenicity- Not classified

Reproductive toxicity- Not classified

Specific target organ toxicity - Not classified for single exposure

Specific target organ toxicity - Not classified for repeated exposure

Aspiration hazard- Not classified

11.2 - Information on other hazards

- This product does not contain any substance with endocrine disrupting properties towards non-target organisms, as no ingredient fulfills the criteria.

SECTION 12: Environmental information

12.1 - Toxicity

Toxicity : Mixture

EC50 48 h Crustaceans	No data available
LC50 96 h fish	No data available
ErC50 Algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic Crustaceans	No data available
NOEC chronic Algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity : Substances

Ethanol, ethyl alcohol (64-17-5)	
LC50 96 h fish	11200 mg/l
ErC50 Algae	275 mg/l
ErC50 other aquatic plants	5012 mg/l
NOEC chronic fish	250 mg/l
NOEC chronic Algae	11.5 mg/l
NOEC chronic other aquatic plants	9.6 mg/l
2-butoxyethanol, butylglycol (111-76-2)	
LC50 96 h fish	1474 mg/l

MS-260 Safezone Cleaner for Glass

NOEC chronic fish	100 mg/l
NOEC chronic Crustaceans	100 mg/l
NOEC chronic Algae	88 mg/l
Propane (74-98-6)	
LC50 96 h fish	24.11 mg/l < V < 147.54 mg/l
ErC50 Algae	7.71 mg/l < V < 16.5 mg/l
ErC50 other aquatic plants	7.02 mg/l < V < 69.43 mg/l
Butane (106-97-8)	
LC50 96 h fish	24.11 mg/l < V < 147.54 mg/l
ErC50 Algae	7.71 mg/l < V < 16.5 mg/l
ErC50 other aquatic plants	7.02 mg/l < V < 69.43 mg/l

- The substance/mixture does not meet the criteria for acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% biodegradation in 28 days	No data available

- There is no information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOW	No data available

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- There is no information available.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH regulation, annex XIII.

- This substance does not meet the PBT/vPvB criteria of REACH regulation, annex XIII.

12.6 - Endocrine disrupting properties

- This product does not contain any substance with endocrine disrupting properties towards non-target organisms, as no ingredient fulfills the criteria.

12.7 - Other adverse effects

- There is no information available.

SECTION 13: Disposal instructions

13.1 - Waste treatment processes

Waste treatment processes

- Disposal in accordance with official regulations.

- Dispose of empty or partially empty packaging/container/can to municipal waste after use of the product in accordance with regulations.

- Gases containing hazardous substances in pressurized containers (including halons)

MS-260 Safezone Cleaner for Glass

- Contaminated packaging must be treated in the same way as the substance.

Disposal via waste water : - There is no information available.

Special precautions : - There is no information available.

Community or national Legislation - No information available. or regional

SECTION 14: Transport information

14.1 - UN number or ID number

UN number (ADR) : Not applicable
UN number (RID) : UN1950
UN number (ADN) : Not applicable
UN number (IMDG) : UN1950
UN number (IATA) : Not applicable

14.2 - UN proper shipping name

Proper UN shipping name (RID) : PRESSURIZED GAS
Proper UN shipping name (IMDG) : PRESSURIZED GAS

14.3 - Transport hazard classes

Transport hazard classes (RID) : 2

Pictograms



Transport hazard classes (IMDG) : 2

Pictograms



14.4 - Packing group

Packing group (RID) :
Packing group (IMDG) :

14.5 - Environmental hazards

Environmental hazards : No
: No

MS-260 Safezone Cleaner for Glass

14.6 - Special precautions for the user

RID

Special regulations :
Limited quantity (LQ) :
Exempted quantities :

IMDG

Special regulations Limited quantity (LQ) Exempted quantities Packaging instructions : 63 190 277 327 344 381 959
Packaging Special regulations IBC : E0
Instruction(s) : P207 LP200
IBC regulations : PP87 L2
Instructions for portable tanks and bulk containers :
Special regulations for portable tanks and bulk containers :
EmS codes : F-D, S-U
Stowage and handling : Category None
SW1 SW22
Separation : SG69
Properties and remarks :

14.7 - Transport in bulk by sea according to IMO instruments

SECTION 15: Legislation

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH No
candidates Substances No
Annex XIV No
VOC content No data available

-- COMMISSION REGULATION (EC) No 907/2006 of June 20, 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents in order to adapt Annexes III and VII thereto. The Regulation was published in the Official Journal of the European Union No L 168/5 on June 21, 2006;
-- COMMISSION REGULATION (EU) 2016/918 of 19 May 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labeling and packaging of substances and mixtures. The regulation was published in the Official Journal of the European Union No. L 156 on June 14, 2016;
-- COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) (OJ L 203, 26.6.2020, p. 28-58);
-- COUNCIL DIRECTIVE of May 20, 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (OJ L 147, 9.6.1975, p. 40)

MS-260 Safezone Cleaner for Glass

- - On December 16, 2008, Regulation (EC) No. 1272/2008 of the European Parliament and of the Council on classification, labeling and packaging of chemical substances and mixtures was signed. This Regulation amended and repealed Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006 (the REACH Regulation). The Regulation was published in the Official Journal of the European Union No. L 353, Volume 51 on December 31, 2008;
- - REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of March 31 2004 on detergents (OJ L 104/1, 8.4.2004, p. 001-0035);
- - Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93, Commission Regulation (EC) No 1488/94, Council Directive 76/769/EEC and Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union No L 396, 30.12.2006, error correction - No L 136/3, 2007-5-29);
- - The European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).
- Observe Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.
- Observe employment restrictions in accordance with the Youth Employment Protection Act (94/33/EC).
- Swiss regulations: Art. 4 para. 1 let. 4 of the Ordinance on the Protection of Young Persons at Work (SR 822.115) and Art. 1 lit. f of the EAER Ordinance on Dangerous Work and Young Persons (SR 822.115.2).

Regulation (EC) No 648/2004 on detergents

Contains:

- 5% or more but less than 15%: aliphatic hydrocarbons

15.2 - Chemical safety assessment

Chemical safety assessment carried out for the product

- There is no information available.

SECTION 16: Other information

SDS versions

Version	Date of issue	Author	Description of the changes
1	31/10/2023		

Abbreviations and acronyms

- ACGIH - Association advancing occupational and environmental health/ Verein zur Förderung der Arbeits- und Umweltgesundheit.
- ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways/ European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
- ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road/ European Agreement concerning the International Carriage of Dangerous Goods by Road.
- CAS - Chemical Abstracts Service number/Chemical Abstracts Service number
- CEN - European Committee for Standardization.
- EC50 - Effective concentration to 50% of a test population (half maximal effective concentration)/ Effektive Konzentration auf 50 % einer Testpopulation (halbmaximale effektive Konzentration).

MS-260 Safezone Cleaner for Glass

- IC50 - Inhibitory concentration to 50% of a test population (half maximal inhibitory concentration)/ Inhibitory concentration to 50% of a test population (half maximal inhibitory concentration).
- IMDG - International Maritime Dangerous Goods/ International Dangerous Goods in Maritime Transport
- IMO - International Maritime Organization.
- LC50 - Lethal Concentration to 50 % of a test population/ Lethal concentration to 50 % of a test population.
- LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)/ Lethal dose up to 50% of a test population (median lethal dose).
- MSDS - Material Safety Data Sheet.
- NOEC - No effect concentration.
- PBT - Persistent, Bioaccumulative and Toxic substance.
- PNEC(s) - Predicted No Effect Concentration(s).
- RID - Regulations concerning the International Carriage of Dangerous Goods by Rail/ Regulations for the International Carriage of Dangerous Goods by Rail.
- STOT - Specific Target Organ Toxicity.
- vPvB - Very Persistent and Very Bioaccumulative/ Very persistent and very bioaccumulative.

Data sources:

European Chemicals Agency (ECHA)
European Chemicals Bureau (ECB)
International Laboratories Organization

Texts of the regulatory sentences

Acute Tox. 3 Inhalation	Acute toxicity (inhalation) - Category 3
Acute Tox. 4 Dermal	Acute toxicity (dermal) - Category 4
Acute Tox. 4 Inhalation	Acute toxicity (inhalation) - Category 4
Acute Tox. 4 Oral	Acute toxicity (oral) - Category 4
Eye Irrit. 2	Eye irritation - Category 2
Eye Irrit. 2A	Eye irritation - Category 2A
Flam. Gas 1	Flammable gas. - Category 1
Flam. Liq. 2	Flammable liquid and vapor. - Category 2
H220	Extremely flammable gas
H225	Highly flammable liquid and vapor
H280	Contains gas under pressure; can explode when heated
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
Press. Gas	Gases under pressure

MS-260 Safezone Cleaner for Glass

Press. Gas (Comp.)	Compressed gas
Skin Irrit. 2	Irritation of the skin, category 2

The information in this safety data sheet is correct to the best of our knowledge, information and belief at the date of printing. The information is intended to provide you with guidelines for the safe handling of the product mentioned in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. If the product is mixed, blended or processed with other materials or subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise.

*** **